

# European Colour Collection

Overview | 2019 October



# COLOUR YOUR LIFE

THE EVERY DAY WORK ENVIRONMENT CAN BE BOTH AN EMOTIONAL AND SENSORY EXPERIENCE — DIRECTLY AFFECTING AN INDIVIDUAL'S PERSONAL ENGAGEMENT THROUGH DESIGN.

---



We believe that good design shouldn't be hard to specify. The European Colour Collection is designed with the philosophy that our fabrics and finishes are offered broadly across our various product lines (unless constrained by manufacturing processes) allowing designers to blend products simply and easily.

At Haworth we ensure our fabrics satisfy the highest quality standards so they look and feel good for years on end. Needless to say, we offer a vast variety of materials and colours for all kinds of furniture.

The broad spectrum of surfaces we offer at Haworth ranges from real wood and veneer to melamine and glass, giving you every opportunity to select the right solution to suit your specific requirements. To say, we offer a vast variety of materials and colours for all kinds of furniture.





# HAWORTH COLOUR OVERVIEW

Colour Code	Fabric Stoffe Tissus Stof												Tambour Doors (Plastic) Rollladen Rideau Jaloziedeur												Melamine Melamin Melamine Melamine							Standard EC powder paint: Metal + Chair bases Standard EC Pulverfarben: Metall + Stuhlgestelle Standard poudre EC : wmetal + piètements sièges Standard EC poedercoating: Metaal + stoel onderstel							Design colours: Metal + Chair bases (powder paint) + Melamine (lacquer) // Design Farben: Metall + Stuhlgestelle (Pulver) + Melamin (Lack) // Couleur design: métal + piètements sièges (poudre) + mélamine (laque) // Design kleuren: metaal + stoel onderstel (poedercoating) + melamine (gelakt)							Massive Wood Massivholz Bois massif Massief hout				Veneer Furnier Ebenisterie Fineer			Laminate / HPL Stratifié						Plastic base Kunststoff-gestell Piètement en plastique Kunststof onderstel																													
	F0	F1			F2					F3	F4	F5	F6		T01	TEW	TLE0	T04	TA1	LG	SL	9	5	MP	BC	PR	M01	MEW	M02	M04	M05	M06	MD4	MD5	MD6	MA1	TR-IF	TRTW0	O40	TRLE0	SW	P08	707	600	TR1H0	TRRR0	TR1G0	TR1Q0	TR1J0	TR1K0	TR1M0	TRCT0	VB-W35	PW0PL	PW00F	WD1	NRW35	MSW35	M6W35	M7W43	V49	NWW35	NRW38	L01	LEW	L05	L06	LD4	LD5	LD6	Black	Fog	Smooth Plaster															
Colour collection Farb Kollektionen Collection couleurs Kleuren overzicht	50 Convert	34 Felicity	22 Flex	23 Atlantia	66 Maya	63 King	82 Xtreme plus	59 X2	39 Fame	51 Skal Evida	61 Blazer / Cotswold	65 Remix	68 Class	Small Arrow	Diagonale	Atlas	Big Arrow	58 Steelcut Trio	98 Leather (AnticCuir)	97 Leather (Boxmark)	Noble Performance Suite	40 Runner	42 Rhythm	47/0010   47/0020   47/0312   47/0337	47/0402   47/0403   47/0411   47/0413	Soji Knit (XT)	48	Very (PP)	Coll. X-66, Beech	White EC	Edelweiss EC	Titanium EC	Dark Grey EC	Acoustic White EC	Light Grey	Silver	Anthracite	Black EC	Light Wood	Beech	Medium Wood	Melamine White EC	Melamine Edelweiss EC	Melamine Light Grey EC	Melamine Dark Grey EC	Melamine Sand EC	Melamine Lava EC	Melamine Oak EC	Melamine Maple EC	Melamine Walnut EC	Melamine Acoustic White EC	Accent Red	Seating + Furniture Structured White EC	Seating + Furniture Structured Black EC	Seating + Furniture Titanium EC	Furniture Alu Graphite EC	Furniture Structured Sand EC	Seating Chrome EC	Seating Alu Polished EC	Structured Terra	Structured Rusty Red	Structured Blue Jay	Structured Park Green	Structured Sky Blue	Structured Wren	Structured Lava	Structured Chartreuse	White Oak	White (MDF)	Black (MDF)	Wood Oak	Rift-Cut White Oak	Natural Oak	Natural Walnut	Black Ash	Natural Oak EC	Walnut EC	Black Oak EC	HPL White	HPL Edelweiss	HPL Sand	HPL Lava	HPL Oak EC	HPL Maple	HPL Walnut EC	Black	Fog	Smooth Plaster
Screens	[Grid with availability indicators]																																																																																							
Desks & Tables	[Grid with availability indicators]																																																																																							
Storage	[Grid with availability indicators]																																																																																							
Premium Furniture	[Grid with availability indicators]																																																																																							
Premium Seating	[Grid with availability indicators]																																																																																							

● Available upon request / auf Anfrage lieferbar / Disponible sur demande / Beschikbaar op aanvraag  
● Available only for shelves / nur für Regale lieferbar / Disponible uniquement pour les étagères / Alleen beschikbaar voor rekken  
● Available for legs or seat / nur für Tischbeine oder Sitzpolster erhältlich / Disponible uniquement pour les piètements ou les sièges / Alleen beschikbaar voor benen of zitting

Collection	Composition Zusammensetzung Composition Samenstelling	Width Breite Largeur Breedte	Weight Gewicht Poids Gewicht	BS EN ISO 12947-2: 1999 12 Kpa Abrasion resistance Scheuerverhalten Résistance à l'abrasion Scheurvastheid	EN 12945-2 Pilling Resistance Pilling Beständigkeit Pilling Resistance Pilling bestendigheid	EN ISO 105 - B02: 1999 Methode 2 Light fastness Lichtechtheit Résistance à la lumière Lichtechtheid	EN ISO 105 - X12: 2002 Fastness to rubbing Reibechtheit Résistance aux frottements Wrijfbestendigheid	Flame resistance Brandverhalten Résistance au feu Brandvastheid	Cleaning Instructions Reinigungsanweisungen Guide d'entretien Reinigingsinstructies
<b>50 Convert</b>	100% Polyester FR recycled // recycelt // recyclé // gerecycled	140 cm	~ 470 g/lin.m ~ 470 g/ffdm ~ 470 g/ml ~ 470 g/per m	Martindale 50.000 cycles // Touren // tours // toeren	4 - 5	5 (Scala 1-8)	4 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid), BS 5852 Crib 5, DIN 4102 B1, M1, UNO 1	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>34 Felicity</b>	100% Polyester recycled // recycelt // recyclé // gerecycled	140 cm	~ 430 g/lin.m ~ 430 g/ffdm ~ 430 g/ml ~ 430 g/per m	Martindale 90.000 cycles // Touren // tours // toeren	5	5-7 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid), CA TB 117-2013	fixed covers: vacuum cleaning, cleaning with dry foam // festverspannte Bezüge: absaugen, Reinigung mit Trockenschäum // housses fixes : aspirer, nettoyage à la mousse sèche // strakgespannen bekleding: stofzuigen, schoonmaken met droogschuim
<b>22 Flex</b>	100% Polyester	150 cm	~ 680 g/lin.m ~ 680 g/ffdm ~ 680 g/ml ~ 680 g/per m	Martindale 80.000 cycles // Touren // tours // toeren	4 - 5	5-7 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>23 Atlantic</b>	100% Polyester	150 cm	~ 530 g/lin.m ~ 530 g/ffdm ~ 530 g/ml ~ 530 g/per m	Martindale 110.000 cycles // Touren // tours // toeren	4 - 5	5-7 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>66 Maya</b>	100% Polyester Trevira CS	140 cm	~ 590 g/lin.m ~ 590 g/ffdm ~ 590 g/ml ~ 590 g/per m	Martindale 100.000 cycles // Touren // tours // toeren	5	6 (Blue Scala)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid), BS 5852 Crib 5, AM18	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>63 King</b>	100% Polyester Trevira CS	140 cm	~ 390 g/lin.m ~ 390 g/ffdm ~ 390 g/ml ~ 390 g/per m	Martindale 80.000 cycles // Touren // tours // toeren	5	6 (blue Scala)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid), BS 5852 Crib 5, AM18	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>82 Xtreme plus</b>	100% Polyester Xtreme FR recycled // recycelt // recyclé // gerecycled	140 cm	~ 435 g/lin.m ~ 435 g/ffdm ~ 435 g/ml ~ 435 g/per m	Martindale 100.000 cycles // Touren // tours // toeren	5	6 (Scala 1-8)	4 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid), BS 5852 Crib 5, DIN 4102, M1	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>59 X2</b>	100% Polyester Xtreme FR recycled // recycelt // recyclé // gerecycled	140 cm	~ 435 g/lin.m ~ 435 g/ffdm ~ 435 g/ml ~ 435 g/per m	Martindale 100.000 cycles // Touren // tours // toeren	5	6 (Scala 1-8)	4 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid), BS 5852 Crib 5, AM18, UNO 1	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>39 Fame</b>	95% NZ Wool + 5% Polyamide 95% NZ Wolle + 5% Polyamid 95% NZ Laine + 5% Polyamide 95% NZ wol + 5% Polyamide	140 cm	~ 630 g/lin.m ~ 630 g/ffdm ~ 630 g/ml ~ 630 g/per m	Martindale 200.000 cycles // Touren // tours // toeren	4	5-7 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid), BS 5852 Crib 5, AM18	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>51 Skai Evida</b>	84% PVC Compound + 16% Bio-Cotton 84% PVC Gemisch + 16% Bio-Baumwolle 84% PVC Compound + 16% Bio-Coton 84% PVC Gemengt + 16% Bio-Katoen	137 cm	~ 1040 g/lin.m ~ 1040 g/ffdm ~ 1040 g/ml ~ 1040 g/per m	Martindale 51.000 cycles // Touren // tours // toeren		5 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>61 Blazer / Cotswold</b>	100% New Wool // Schurwolle // Laine vierge // scheerwol	140 cm	~ 645 g/lin.m ~ 645 g/ffdm ~ 645 g/ml ~ 645 g/per m	Martindale 50.000 cycles // Touren // tours // toeren		5 (Scala 1-8)	4 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>65 Remix</b>	90% New Wool + 10% Nylon 90% Schurwolle + 10% Nylon 90% Laine vierge + 10% Nylon 90% scheerwol + 10% nylon	138 cm	~ 415 g/lin.m ~ 415 g/ffdm ~ 415 g/ml ~ 415 g/per m	Martindale 100.000 cycles // Touren // tours // toeren	3 - 4	5-7 (Scala 1-8)		EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>68 Class</b>	100% Polyester Trevira CS	150 cm	~ 600 g/lin.m ~ 600 g/ffdm ~ 600 g/ml ~ 600 g/per m	Martindale 75.000 cycles // Touren // tours // toeren	5	6 (Blue Scala)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid), BS 5852 Crib 5, B1 DIN 4102	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>Small Arrow</b>	100% Polyester	155 cm	~ 429 g/lin.m ~ 429 g/ffdm ~ 429 g/ml ~ 429 g/per m	Martindale 40.000 cycles // Touren // tours // toeren	5	5	4 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>Diagonale</b>	100% Polyester	155 cm	~ 429 g/lin.m ~ 429 g/ffdm ~ 429 g/ml ~ 429 g/per m	Martindale 40.000 cycles // Touren // tours // toeren	5	5	4 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>Atlas</b>	90% New wool + 10% Nylon 90% Schurwolle gekämmt + 10% Nylon 90% Laine vierge + 10% Nylon 90% scheerwol + 10% Nylon	140 cm	~ 400 g/lin.m ~ 400 g/ffdm ~ 400 g/ml ~ 400 g/per m	Martindale 100.000 cycles // Touren // tours // toeren	4 - 5	6-7	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid), BS 5852 Crib 5	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>Big Arrow</b>	80% Polyester + 20% Trevira CS	138 cm	~ 1.100 g/lin.m ~ 1.100 g/ffdm ~ 1.100 g/ml ~ 1.100 g/per m	Martindale 60.000 cycles // Touren // tours // toeren	4	5	4 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>58 Steelcut Trio</b>	90% New Wool + 10% Nylon 90% Schurwolle + 10% Nylon 90% Laine vierge + 10% Nylon 90% scheerwol + 10% Nylon	140 cm	~ 770 g/lin.m ~ 770 g/ffdm ~ 770 g/ml ~ 770 g/per m	Martindale 80.000 cycles // Touren // tours // toeren	3 - 4	5 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>98 Leather (AnticCuir)</b>	Pigmented grain-leather Pigmentiertes Narbenleder Cuir naturel pigmenté gepigmenteer leder naturel		Thickness / Stärke / Epaisseur / Materiaaldikte 1,1 - 1,2 mm			6 (Blue Scala)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-2 (flame test // Streichholzflammtest // test flamme // brandvastheid)	wipe down with barely damp cloth, use a recommended leather cleaner // mit leicht feuchtem Tuch abwischen, empfohlene Lederreiniger verwenden // essuyez avec un chiffon à peine humide, utilisez un produit spécifique pour le cuir // afnemen met een ietwat vochtige doek, een aanbevolen leerreinigingsmiddel gebruiken
<b>97 Leather (Boxmark)</b>	Pigmented grain-leather Pigmentiertes Narbenleder Cuir naturel pigmenté gepigmenteer leder naturel		Thickness / Stärke / Epaisseur / Materiaaldikte 1,3 - 1,4 mm			5 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	wipe down with barely damp cloth, use a recommended leather cleaner // mit leicht feuchtem Tuch abwischen, empfohlene Lederreiniger verwenden // essuyez avec un chiffon à peine humide, utilisez un produit spécifique pour le cuir // afnemen met een ietwat vochtige doek, een aanbevolen leerreinigingsmiddel gebruiken
<b>40 Runner</b>	100% Polyester	160 cm	~ 510 g/lin.m ~ 510 g/ffdm ~ 510 g/ml ~ 510 g/per m	Martindale 70.000 cycles // Touren // tours // toeren	5	5-7 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>42 Rhythm</b>	100% Polyester FR	160 cm	~ 525 g/lin.m ~ 525 g/ffdm ~ 525 g/ml ~ 525 g/per m	Martindale 70.000 cycles // Touren // tours // toeren	5	5-7 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>47/04</b>	100% Polyester	140 cm	~ 295 g/lin.m ~ 295 g/ffdm ~ 295 g/ml ~ 295 g/per m	Martindale 20.000 cycles // Touren // tours // toeren	4	5 (Scala 1-8)	4 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>47</b>	70% Polyester + 30% Polyamide	105 cm	~ 360 g/lin.m ~ 360 g/ffdm ~ 360 g/ml ~ 360 g/per m	Martindale 40.000 cycles // Touren // tours // toeren		5-7 (Scala 1-8)	4-5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1 (Cigarette test // Zigarettest // // test cigarette // sigaretvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>Soji Knit</b>	95% Polyester + 5% Monofilament Polyester		~ 816 g/m <sup>2</sup>	Martindale 100.000 cycles // Touren // tours // toeren		5 (Scala 1-8)	4,5 dry and wet // trocken und nass // sec et humide // droog en nat (Scala 1-5)	EN 1021-1/2 (Cigarette + flame test // Zigaretten- und Streichholzflammtest // test cigarette + flamme // sigaret + brandvastheid)	vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen
<b>48</b>	100% Polyester	166 cm	~ 306 g/lin.m ~ 306 g/ffdm ~ 306 g/ml ~ 306 g/per m	Martindale 80.000 cycles // Touren // tours // toeren	4	4 (Scala 1-8)			vacuum regularly, clean with damp cloth // regelmäßig absaugen, mit feuchtem Tuch abwischen // aspirer régulièrement, essuyez avec une étoffe humide // regelmäßig stofzuigen, met vochtige doek afvegen



# HAWORTH®

**Benelux** · Haworth Benelux B.V. · Tel. +31 8828 770 60

**France** · Haworth S.A.S. · Tel. +33 1456 445 00

**Germany** · Haworth GmbH · Tel. +49 5042 501 0

**Hungary** · Haworth Hungary Kft · Tel. +36 1201 401 0

**Ireland** · Haworth Ireland Ltd. · Tel. +353 1855 884 0

**Portugal** · Haworth Portugal SA · Tel. +351 2143 450 00

**Spain** · Haworth Spain Ltd. · Tel. +34 9139 804 80

**Switzerland** · Haworth Schweiz AG · Tel. +41 6276 551 51

**United Kingdom** · Haworth UK LLC · Tel. +44 2073 241 360

**USA · Haworth Inc.** · One Haworth Center · Tel. +1 6163 933 000

[haworth-europe.com](http://haworth-europe.com) | [haworth-asia.com](http://haworth-asia.com) | [haworth.com](http://haworth.com)