



BuzziPleat LED

BuzziSpace | 13&9 Design | 2017

The traditional craft of hand pleating is applied to freely construct BuzziPleat LED. Creating the architectural folds takes more than 140 minutes of steady hand and eye coordination, and results in a maximized surface area that delivers exceptional acoustic and lighting performance. Choose from medium or large sizes in either Edel or Ripple patterns.


HAWORTH® Collection

BuzziPleat LED


BuzziSpace | 13&9 Design | 2017 | Imported from the Netherlands



Medium Pendant, Ripple



Large Pendant, Ripple



UPHOLSTERY AND FINISHES

Felt

BuzziFelt (BFE)

Lace

Black (BTL-1)

OffWhite (BTL-2)

Cable Trim

Alu (BTR-9006)

Black (BTR-9005)

FEATURES AND SPECIFICATIONS

Voltage:	120V 50/60Hz
Power consumption:	19 watts
Color temperature:	3000K
Luminosity:	1500 lumens
Luminaire efficacy:	79 lumens/watt
Color rendition index:	90 CRI
Rated lifespan:	50,000 hours

All BuzziPleat LED lighting is UL and CE certified.



ACOUSTICS

Acoustic Principles



Absorption



Diffusion

Acoustic Performance



Mid Tones



High Tones


HAWORTH® Collection

BuzziPleat LED

BuzziSpace | 13&9 Design | 2017 | Imported from the Netherlands



Medium Pendant, Edel



Large Pendant, Edel

